


































Technical textiles are engineered textiles with definite functionalities. The demand for technical textiles is growing exponentially the world over due to the wide ranging end user applications of these textiles.



Technical textiles is undoubtedly a sun rise sector today, presenting a huge, yet untapped potential for the Indian textile industry.

A.T.E. has been building on its capabilities to help the Indian textile industry to exploit the emerging opportunities in this segment. A.T.E. now has deep domain knowledge in this specialised field and has the capability to offer a wide spectrum of machinery solutions from leaders across the world.

A snapshot of the machinery solutions

Process	Machinery	Principals
Warp knitting	Warp knitting and weft insertion systems Warp knitting for composite manufacturing Warp knitting for nettings KARL MAYER, Germany	
Warp preparation and wovens	Sectional warpers Sizing, direct warping & assembly machine Creels Customised yarn tensioners Beaming machines	KARL MAYER, Germany
	Rapier weaving machines	SMIT, Italy
Cutting	Cutting room solutions	Morgan Tecnica, Italy
Air engineering	Comprehensive conditioning and filtration systems	Luwa, India
Nonwovens	Spunlace, chemical and thermal bonding solutions	Trützschler Nonwovens, Germany
	Machinery and upgrades for manufacturing of diapers, pads, and masks	W+D BICMA, Germany
Coating, drying, heat treatment, and curing	Multipurpose coating machines	Monforts, Germany and Zimmer, Austria
	Drying, heat treatment, and curing machines	Monforts, Germany and Stalam, Italy
Calendering	Calenders	Guarneri Technology, Italy
Process control	Process, quality, weight monitoring, and control systems	Mahlo, Germany
Metal detection	TE/SLD metal detectors	CEIA, Italy
Static control, surface inspection	Static charging, elimination systems Surface inspection systems	AxisValence, India
Wastewater treatment	Effluent treatment plants	A.T.E. HUBER Envirotech, India



KARL MAYER

Warp knitting solutions

Warp knitting with weft insertion



Machine Type	Application Areas	
WEFTRONIC II HKS AND TM WEFT	Interlinings, coating substrates, curtains, surgical bandages, furnishing fabrics, adhesive tapes, outerwear	
WEFTRONIC II RS	Advertising banners, abrasives, tarpaulins, protective textiles, printing substrates, plaster bases, awnings, supporting frameworks	
RS MSUS-G	Geogrids, protective textiles, tarpaulins, waterproof sheeting, facade insulations, plaster bases, coating substrates	
RS MSUS-V	Geogrids and geocomposites, coating substrates, secondary carpet backings, construction textiles, agricultural and greenhouse textiles	
	Textile Reinforced Concrete (TRC)	

Warp knitting for composites



Machine Type	Segments	Application Areas
BIAXTRONIC/ COP BIAX 2/MAX 4 and MAX 5	Ship building	Yachts, lifeboats, patrolling boats, passenger ships
	Power engineering	Rotor blades for wind power plants, wind channel blowers
	Sports and leisure	Skis, tennis rackets, snowboards, surf boats
	Automotive	Car body parts, bumpers, reinforcement parts, leaf/coil springs
	Airplane construction	Tail plane parts, fuselage, wings, tanks, brake discs
	Machine building	Fast moving parts
	Plant engineering	Pumping and piping systems, container building
	Aerospace industry	Antennas, pressure vessels, satellite structures
	Medical sector	Prostheses for arms and legs, orthopedical applications, medical appliances
	Pultrusion	I beams, H beams, underground chemical and water tanks

Warp knitting for nettings



Machine Type	Application Areas
RASCHEL MACHINES:	Shade nets
RS 2 EL-F/RS 4 N-F/RS 6 N-F/RSFS 8 EL /RS	Wind breaker and hail nets
FL 8EL	Bird protection nets for vineyards, fruit and vegetable culturing
	Bale wrapping and palette nets
	Harvesting and cultivation nets
	Packaging nets
	Protection nets, safety nets and sports nets
	Fishing nets



Warp preparation and wovens

Warp preparation for woven technical textiles

K	ARI	L M	AYER
	WE CARE	ABOUT YOU	R FUTURE

		WE CARE ADDITION FOR THE
Machine Type	Features	Application Areas
Sectional warper	"Proactive warping", self-learning software to ensure top warp quality	Filter fabric, flame retardant fabric, industrial fabric, automotive seat, sportswear, insect net, sail cloth
Sizing, direct warping & assembly machine	Suitable for glass and filament warp. All functions are governed by precise process control	Circuit boards, air bag fabric, flame retardant fabrics, industrial fabrics, parachute fabric
Creel	Creels structures such as GD-swivel type, GW-trolley type, GM-magazine type, GN-fixed type standard creel and unwinding creels with suitable yarn tensioners	Unwinding of wires, monofilament yarns, tapes and technical yarns which are not allowed to get any additional twist by overhead draw-off
Multitens tensioners	Motor-powered yarn tension systems with individual- yarn control	
KFD-AIR tensioners	Compensating yarn tensioner	For a large number of applications and yarn tension ranges
AccuTens tensioners		Used in computer-controlled hysteresis for special, technical applications
Megatens tensioners		Used in disc-type yarn tensioners for coarse and technical yarns
Isotens tensioners		Used in universal double-disc type yarn tensioners
Beaming machines	For the production of full warp beams directly from the creel for various applications.	Industrial and geotextile fabrics

Based on the application, KARL MAYER can offer an appropriate tensioner from its range which can handle 0 cN to 300 cN $\,$

Rapier weaving machines

SMIT ONE



Features

- Weft insertion system based on one rapier only, therefore without weft transfer in the centre of the shed, allows the use of the widest range of yarns
- Single gripper allows a reduction of the warp shed amplitude, thereby increasing the efficiency
- Unparalleled simplicity in changing articles
- Available in working width from 1400 mm to 2200 mm
- Minimum maintenance costs

#SMIT

Applications

Glass fabrics, carbon fabrics, safety applications, filter fabrics, sportswear, complicated yarn

6



SMIT 2FAST



Features

- Free flight rapier technology: self-controlled flying ribbons without guide blocks
- Designed and manufactured in Italy
- Versatility in yarn type
- Spun yarns: 5 1,000 tex
- Filament yarns: 3 6,600 den
- Glass fibre: 10,800 den/1200 tex
- Great weaving results with perfect control system
- Available in working width from 1700 mm to 3800 mm

Applications

Conveyor belts, glass fabrics, carbon fabrics, Aramid fabrics, agro textiles, automotive textiles, air bags, tire cords

Cutting solutions

Cutting room solution Ply1



Morgan's Ply 1 is a high speed single layer cutting solution for custom production for apparel, home textiles and technical textiles. Ply1 offers high flexibility for customisation, fast production of small and irregular lots, and high performance.

Features

- Cuts a wide range of materials all textile types, carpet fabric, and even special materials of different composition and dimensions
- Works with different cutting windows and conveyor extensions
- Can be equipped with the Vision Scan system, to monitor, scan and manage the detection and proper matching of stripes, plaids and repeated prints
- Fully customizable through different optional modules

Air engineering

Comprehensive conditioning and filtration systems





LUWA conditioning and filtration systems ensure ideal conditions for the processing of technical textiles including:

- Constant climate
- Precisely regulated supply of treated air
- Optimally placed exhaust air openings
- Efficient cleaning of the air
- Reliable control and regulation of temperature and humidity

Nonwovens

Spunlace, chemical and thermal bonding solutions






The portolio includes:

- Spunlace, chemical and thermal bonding solutions
- Loose stock drying ranges for bleached cotton, wool scouring, etc.
- In partnership with Voith Papers, Germany, Truetzschler Nonwovens can
 offer complete lines and solutions for wetlaid nonwovens and specialised
 preparatory solutions for bleached cotton and its converted products such
 as cotton balls, ear buds, zig zag cotton, cotton rolls, etc

Range of machinery and machinery upgrades for manufacturing of diapers, pads, and masks from BICMA

Series 1128-HW: for manufacturing baby diapers or pants





- Inline TXB lamination
- Camera inspection system
- Format parts for different sizes
- Metal detector
- 3 speed levels
- Open baby diapers (traditional, T-shape, ears, pants, classic)
- Channels
- Fluffless

Series 1300-FEM: for manufacturing of feminine hygiene products



- Can manufacture 800, 1000, 1200, 1500, 2000 pieces per minute (or ppm)
- Airlaid, fluff core with/without SAP
- Wings with 1 or 2 wing tapes, perforated or open
- Straight, anatomic or single wrapped products
- 3 speed levels
- Easy pack (with/without release paper) or Quick-wrap (with release paper)
- ADL (Acquisition Distribution Layer) made from airlaid (straight or shaped cut) and/or hiloft (straight cut)
- Napkins
- Channels
- Fluffless
- With/without finger lift

Series 1300-LI: for manufacturing of products for light incontinence



- Can manufacture 800, 900 pieces per minute
- 1, 2, 3 cores (ultrathin or bulky)
- 1, 2, 3 layers
- ADL made from Hiloft or perforated film
- With/without elastic cuff
- Side elastics with foam or Lycra
- Pattern embossing
- Flexoprinting inside of topsheet or on topside of ADL

Series 1128-AD: for manufacturing of products for heavy incontinence



- Inline TXB lamination
- Open adult diapers (traditional, T-shape, ears, belt) with 1 or 2 cores
- Camera inspection system
- Format parts for different sizes
- Metal detector
- 4 speed levels (250, 300, 350 and 400 pieces per minute)
- S2S quick-change module for short changeover times



Series 1400: for manufacturing pads



- Baby changing mats
- Bed and medical pads
- Pet sheets
- Nursing pads
- Food pads

BICMA machinery upgrades



- Possible to upgrade machines of any make
- Enables the use of additional materials
- Core forming
- Reduction in size change times
- Ears for diapers
- Increase in efficiency
- Inline lamination
- Flexibility
- Ready for expansion
- Easy operation
- Training
- Remote support
- High speed
- Vision system

Technical textiles – Processing

Coating machines



Zimmer offers high quality multipurpose coating machines and lines for technical textile applications such as full surface coating, dot coating, impregnation, and printing of aqueous, paste-type and foamed substances.

TRIPLEXCOAT coating machines



- With universal take-up system for KNIFE coating, MAGNOJET foam coating and ROTARY SCREEN printing/coating
- Integration possible into any existing coating line or as an integral part of a custom-made coating line
- KNIFE and MAGNOJET working widths: 500 3400 mm
- Screen coating with blade squeegee: maximum 2000 mm

MAGNOROLL multipurpose coating machines



- MAGNOROLL is a compact and robust modular system for universal applications. Zimmer's MAGNET SYSTEM PLUS, with up to 3 magnet bars per screen, guarantees 100% uniform application of any kind of coating
- Single or double screen coating: equipped with magnet roll rods or magnet blade squeegee, in working widths from 500 to 3200 mm
- MAGNOROLL coating technologies: installed either as magnetic low-add-on or magnetic direct roll coating system, in working widths from 500 to 5600 mm
- MAGNOKNIFE over-roll or over-air coating: reversible high precision knife holder, equipped with two knives in working widths from 500 to 5600 mm


MAGNOJET coating plants




- Closed coating system with controlled application:
 - For paste with a constant substance feeding pump with an inline flow meter unit
 - For foam with a foam mixing unit with software-controlled weight measuring system
- Increased productivity of the MAGNOJET foam application machine due to automatic inline washing unit
- Working widths: 500 5600 mm

Drying, heat treatment, and curing

Monforts Montex Allround





- For coating applications using solvents, a compact housing for the Montex Allround allows inexpensive and reliable extraction
- The volume of air to be extracted is approx. 60% less than the conventional solutions
- Available working widths: 1800 3200 mm
- Standard working speeds: 2.5 50 m/min
- Magnetic roller coating allows a wide range of coatings and finishes
- Magnetic roller technology provides textile finishers with an expanded range of options due to the fully-adjustable positioning of the magnet within the roller
- With four different magnet positions possible, the roller can be set to operate both as a direct coating system and as an indirect coater





Technical textile stenters



The new Monforts Montex technical textile stenter provides the highest product quality with uniform drying.


- Finishing of technical textiles from 100 to 5500 g/m² with a thickness of 0.5 to 22 mm
- Large widths
- Padder/coating head
- Stretcher with a force of up to 10,000 N in longitudinal direction
- Special round and split nozzles
- High temperature (up to 320°C)
- Independent control of temperature for top/bottom nozzles
- Efficient cooling system
- Belt conveyor
- Explosion-proof
- Lamination
- Drying, fixing and coating in a single operating process

Curing ranges



- Perfectly designed for curing of technical textiles
- Large widths
- Modular chamber construction
- Short distance between top and bottom guide rollers
- Each curing chamber is built with 'CAD stream slit nozzle' air circulation system, along with air volume control via circulation throttles with manual control

RF dryers STALAM



Stalam's RF equipment are the de-facto standard for the rapid and efficient drying of glass fibres, natural latex and SBR foams, medical PU foams, felts and other non-wovens. Stalam has also developed specific RF equipment to carry out innovative thermal processes such as the ribbonisation of glass fibres and the vulcanisation of latex foams.

Stalam technical textile dryers have unique design and construction features that helps users obtain the maximum benefit from their machines, in terms of quality of the dried product, reduced operating cost, high production flexibility and performance reliability.

Stalam's RF equipment works on the dielectric principle which is more efficient and economical in terms of energy savings compared to conventional heating equipment.


Stalam provides RF dryers for the following applications:

- Fishnets and cords
- Glass fibre
- Polymer vulcanising and drying
- Felt and non-wovens
- Basalt fibre roving and derived products
- PU foam after wet casting for medical use
- Drying of short-cut, high-porosity reinforcement fibres
- Washed and hydro-extracted thread waste and rags

Calendering

NIPCO® HT






Designed in conjunction with Voith Paper - the renowned calender manufacturer, the NIPCO® HT (high technology) applies pressure where it is required, zone controlled and individually adjusted according to the material demands.

The pressure is set across the width for finishing of technical textiles with the special NIPCO® bowl. The air permeability can also be controlled in the required areas of the fabric, a feature that is widely used in the filter and parachute fabric industries.

- Independent zone controlled pressure setting is possible (up to 50-400 N/mm)
- Pre-selection of required pressured line profile
- Reacting on edge elongation by zone controlled pressure reduction
- Motorised variation of feed angle to the nip; pre-heating of materials prior to the calendar nip
- Easy exchange of sleeves, Thermoplast, Duroplast, or steel, depending on the customers' requirements
- Full automation of all calender operational settings (on request)



Process control

mahlo trendsetting technology, worldwide.

Process control systems



- Process control in stenter
- Optimises drying or fixing processes as well as coating applications
- System measures, logs and controls critical process parameters over the entire working width of 5400 mm
- Measurement of thread density up to 270 threads/cm
- Ideal for technical textiles, glass fabrics and woven or tufted carpets

Qualiscan quality control systems




The quality of a finished technical textile product depends on the application of the coating.

Mahlo's Qualiscan QMS-12 is a modular system for measuring, logging and controlling critical process parameters over the entire process including coating weight, moisture and layer thickness.



Gravimat weight monitoring and control systems



Mahlo's Gravimat measures the weight continuously, without contact, destruction-free and on moving products. The measurement is based on the attenuation of rays from a radioactive isotope through the substrate located in the measuring gap. This attenuation in intensity is an indication of the weight of the product.

Metal detection

TE/SLD metal detectors






CEIA's TE/SLD is a highly sensitive bar metal detector. This device is ideal for protecting production lines against accidental damage caused by pieces of metal.

The TE/SLD digital metal detector's digital signal analysis allows users to optimise detection with respect to the product's speed of passage and the metals to be intercepted, thus obtaining the best possible immunity to any external interference. CEIA's TE/SLD metal detector is tested to conform to electrical safety and electromagnetic compatibility standards.

Static control, surface inspection

Electrostatic charging in mask manufacturing





Valstat[®] electrostatic charging systems have been specifically designed for nonwoven mask manufacturing lines.

The filter efficiency of a mask must be high, without compromising the "breathability" factor. AxisValence's Valstat® electrostatic charging systems improve the filtration efficiency of the melt blown fabric layer by electrostatically charging it. These electrostatic charges attract dust and other contaminants. A Valstat® charging system (VC30 charging bar with PC305 static generators) is used to generate charges during mask manufacturing, The result is that the fibres are charged in a way that ensures that the charges remain intact for a long duration of time, thus improving the filter efficiency of the masks to capture microbes.



Static charge elimination in nonwoven manufacturing



In a nonwoven manufacturing line, high levels of static charge can result in contamination as the static charges can attract dust, hair, loose fibres etc. This is undesirable as these fabrics often form the base for masks and other hygiene products. Static charges can also lead to web wander, uneven winding and malfunctioning sensors and transducers.

AxisValence' Valstat DC static eliminating systems, with replaceable pins, are suitable for neutralising static charges during nonwoven manufacturing. They are effective over long distances and effectively discharge both positive and negative ions, thus making the fabric static charge-free.

Surface inspection systems



The DetectAXIS surface inspection system is designed for 100% inspection of plastic film, paper, foil and nonwoven substrates. DetectAXIS will detect defects and track them through the manufacturing process.

Typical defects detected include:

- Improper patterns
- Holes
- Bubbles
- Dents
- Dark spots
- Stains
- Non-uniform colour or shade variation and more

Wastewater treatment



Effluent treatment plants



Comprehensive, innovative, and cost-effective wastewater treatment and recycling solutions, including zero liquid discharge. The scope covers various breakthrough technologies:

AAA® – reduces the chemical consumption and sludge generation by around 70% with consistent treated effluent quality

RDRO – a unique combination of an ultra-fine gravity filter followed by reverse osmosis recycling about 80-85% of the treated water back to process to achieve zero liquid discharge

EnviroCOLA® – a customised online assistance system designed to provide all the information needed to ensure a healthy performance of the wastewater treatment plant – anytime, anywhere





Bhagwati House, A-19, CTS No. 689, Veera Desai Road, Andheri (West), Mumbai 400 053, India

W: www.ategroup.com CIN: U51503MH2001PTC132921

Our network

Chandigarh Ahmedabad Coimbatore Kolkata

T: +91-33-2357 6501 T: +91-172-269 7179 T: +91-79-2560 0995 T: +91-422-222 3286

New Delhi Tirupur T: +91-11-4555 5000 T: +91-96860 11151 T: +880-2-58957446

Dhaka

partnering people & the planet